

MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

Version 2.0 / USA Revision Date: 11/06/2014 102000015432 Print Date: 11/06/2014

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

Product code (UVP) 06101320

SDS Number 102000015432

EPA Registration No. 432-1460

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

Restrictions on useSee product label for restrictions.

Information on manufacturer

Bayer Environmental Science 2 T.W. Alexander Drive

Research Triangle PK, NC 27709

United States

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577 (24 hours/day)

Product Information Telephone Number

1-800-331-2867

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Other hazards

No particular hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name CAS-No. Concentration % by weight

Fipronil 120068-37-3 0.05

SAFETY DATA SHEET



MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

Revision Date: 11/06/2014

Version 2.0 / USA 102000015432 Print Date: 11/06/2014

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible. Call

a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a physician

or poison control center immediately.

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Eye contact

> Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

The following symptoms may occur:, Restlessness, Anxiety, Tremors **Symptoms**

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Dry chemical, Foam, Water, Carbon dioxide (CO2)

Unsuitable None known.

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective

equipment for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and

full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

SAFETY DATA SHEET



MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

 Version 2.0 / USA
 Revision Date: 11/06/2014

 102000015432
 Print Date: 11/06/2014

Flash point no data available

Autoignition temperatureno data availableLower explosion limitno data availableUpper explosion limitno data availableExplosivitynot applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning upCollect and transfer the product into a properly labelled and tightly

closed container. Clean contaminated floors and objects thoroughly,

observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil,

waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Product will stain porous surfaces. Use only in area provided with

appropriate exhaust ventilation.

Advice on protection against fire and explosion

Do not use this product in or on electrical equipment due to the

possibility of shock hazard.

Hygiene measures Remove Personal Protective Equipment (PPE) immediately after

handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Conditions for safe storage, including any incompatibilities



MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

Version 2.0 / USA Revision Date: 11/06/2014 102000015432 Print Date: 11/06/2014

Requirements for storage areas and containers

Keep out of reach of children and animals. Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Fipronil (Particulate.)	120068-37-3	50ug/m3 (ST ESL)	02 2013	TX ESL
Fipronil (Particulate.)	120068-37-3	5ug/m3 (AN ESL)	02 2013	TX ESL
Fipronil	120068-37-3	0.035 mg/m3 (TWA)		OES BCS*
Sucrose	57-50-1	10 mg/m3 (TWA)	02 2012	ACGIH
Sucrose (Respirable.)	57-50-1	5 mg/m3 (REL)	2010	NIOSH
Sucrose (Total)	57-50-1	10 mg/m3 (REL)	2010	NIOSH
Sucrose (Total dust.)	57-50-1	15 mg/m3 (PEL)	02 2006	OSHA Z1
Sucrose (Respirable fraction.)	57-50-1	5 mg/m3 (PEL)	02 2006	OSHA Z1
Sucrose (Respirable fraction.)	57-50-1	5 mg/m3 (TWA)	1989	OSHA Z1A
Sucrose (Total dust.)	57-50-1	15 mg/m3 (TWA)	1989	OSHA Z1A
Sucrose (Respirable fraction.)	57-50-1	5 mg/m3 (TWA)	06 2008	TN OEL
Sucrose (Total dust.)	57-50-1	15 mg/m3 (TWA)	06 2008	TN OEL
Sucrose (Particulate.)	57-50-1	50ug/m3 (ST ESL)	02 2013	TX ESL
Sucrose (Particulate.)	57-50-1	5ug/m3 (AN ESL)	02 2013	TX ESL

No control parameters known.

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.

^{*}OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"



MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

Version 2.0 / USA Revision Date: 11/06/2014 102000015432 Print Date: 11/06/2014

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance light brown

Physical State gel

Odor characteristic

Odour Threshold no data available pH no data available

Vapor Pressure no data available

Vapor Density (Air = 1) no data available

Specific Gravity no data available

Evapouration rate no data available

Boiling Point no data available
Melting / Freezing Point no data available

Water solubility soluble

Minimum Ignition Energynot applicableDecompositionnot applicable

temperature

Partition coefficient: n-

octanol/water

not applicable

Viscosity 40,000 - 115,000 cps at 25 °C

Flash point no data available

Autoignition temperatureno data availableLower explosion limitno data availableUpper explosion limitno data availableExplosivitynot applicable

SAFETY DATA SHEET



MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

Version 2.0 / USA Revision Date: 11/06/2014 Print Date: 11/06/2014

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition not applicable

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Extremes of temperature and direct sunlight.

Exposure to moisture.

Incompatible materials Strong oxidizing agents, Strong bases, Strong acids

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Skin Absorption, Skin contact, Ingestion

Immediate Effects

Eye Moderate eye irritation.

Skin Harmful if absorbed through skin.

Information on toxicological effects

Acute oral toxicity LD50 (rat) > 5,000 mg/kg

Acute inhalation toxicity

no data available

Acute dermal toxicityLD50 (rat) > 5,000 mg/kgSkin irritationSlight irritation (rabbit)Eye irritationMinimally irritating. (rabbit)SensitisationNon-sensitizing. (guinea pig)

Assessment repeated dose toxicity

Fipronil caused specific target organ toxicity in experimental animal studies in the following organ(s): liver. Fipronil caused neurobehavioral effects and/or neuropathological changes in animal studies.

Assessment Mutagenicity

Fipronil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Fipronil caused an increased incidence of tumours in rats in the following organ(s): Thyroid. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

SAFETY DATA SHEET



7/9

MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

 Version 2.0 / USA
 Revision Date: 11/06/2014

 102000015432
 Print Date: 11/06/2014

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Fipronil caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fipronil is related to parental toxicity.

Assessment developmental toxicity

Fipronil did not cause developmental toxicity in rats and rabbits.

Further information

Acute toxicity studies have been bridged from a similar formulation(s). Only acute toxicity studies have been performed on the formulated product.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.25 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient fipronil.

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 0.19 mg/l

invertebrates

Exposure time: 48 h

The value mentioned relates to the active ingredient fipronil.

Toxicity to aquatic plants EC50 (Scenedesmus subspicatus) 0.068 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient fipronil.

Biodegradability Fipronil: ; not rapidly biodegradable

Koc Fipronil: Koc: 427 - 1278

Bioaccumulation Fipronil: Bioconcentration factor (BCF) 321; Does not bioaccumulate.

Mobility in soil Fipronil: Slightly mobile in soils

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.

SAFETY DATA SHEET



MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

Version 2.0 / USA Revision Date: 11/06/2014 102000015432 Print Date: 11/06/2014

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product It is best to use all of the product in accordance with label directions. If it

is necessary to dispose of unused product, please follow container label

instructions and applicable local guidelines.

Never place unused product down any indoor or outdoor drain.

Contaminated packaging Do not re-use empty containers.

Place empty container in trash.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

According to national and international transport regulations this material is not classified as dangerous goods / hazardous material.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1460

US Federal Regulations

TSCA list

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

None.

Canadian Regulations

Canadian Domestic Substance List

None.



MAXFORCE® FC MAGNUM ROACH KILLER BAIT GEL

Version 2.0 / USA Revision Date: 11/06/2014 102000015432 Print Date: 11/06/2014

Environmental CERCLA

None.

Clean Water Section 307 Priority Pollutants

None

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if absorbed through skin.

Moderate eye irritation.

Avoid contact with skin, eyes and clothing.

Wash thoroughly with soap and water after handling.

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 11/06/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.